



THE FASTBACK SYSTEM DIRECT PULLBACK



Pilot Bore, Ream, And Pullback
Without Removing The Drill Head.

WHAT IS THE FASTBACK SYSTEM?

Direct pullback for shots up to 12" without ever removing the drill head.

Reduce production time and cost when reaming up to a 12" hole in tight conditions by using direct pullback's best solution...the FastBack System. It is a complete solution comprising the SD Housing, detachable cutter blocks, pulling device, and optional swivel.

Drill Head



Cutter Blocks



Pullback Device



Swivel



Details and part numbers for the SD Housings are on pg. 6



INCREASE PRODUCTION RATES.
DRILL IN TIGHTER SPACES.
BE MORE PROFITABLE.



Scan the QR code to watch the tutorial on how to assemble the FastBack System.

HANDLE JOBS WITH LIMITED ACCESS BETTER

Using the FastBack System in tight spaces such as suburban street-to-house shots, will enable you to backream and pullback without having to remove the drill head.



SPEED UP YOUR PRODUCTION

Bolt-on FastReam® cutter blocks allow you to backream the hole without ever removing the drill head. That's right...you can make your installs faster than ever before when reaming a 12" diameter hole or less.






EAGLE EYE

Fast Pull Back Using Your Eagle Claw Bit

Be ready for direct pullback in a matter of minutes. Bolt your Eagle Eye onto your Eagle Claw bit for direct pullbacks and provide a secure link that keeps the swivel straight and on the center line. Eagle Eye's heat-treated one-piece design with carbide buttons gives you maximum strength and longevity.

Eagle Eye		
Eagle Claw Size	Eagle Eye Part#	Replacement Bolt
3.5"	EC35-FB42A1-305	FHHCS5/16X3.75
4.25"	EC42-FB50A1-305	FHHCS-.4375-4.25
5"	EC50-FB60-310	FHHCS1/2X5

Check out more details on the Eagle Claw SD bits on pg. 21



Single-piece heat treated casting

We use the same high-clamp load 6-point high-strength bolts used in auto racing applications

Carbide buttons extend the wear life



Attach, and hold in line, a swivel for direct pullback



QUICK-SWIVEL & QUICK-LINK

Fast, & Secure Direct Pullback Without Removing The Blade. Engineered To Hold The Swivel Rotation On Center.

Quick Swivel				
Pullback Capacity	Part #	Replacement Bolt	Nut Part #	Washer Part #
5 ton	00503-205-QS	HHCS-3/4-2.75-8	3/4-10-NUT	3/4 WASHER



Quick Link				
Swivel Being Used	Part #	Replacement Bolt	Nut Part #	Washer Part #
00503-205, 5-ton Valu-DUB Swivel	QL-305	HHCS-3/4-2.75-8	3/4-10-NUT	3/4 WASHER
00503-210, 10-ton Valu-DUB Swivel	QL-310	HHCS-3/4-2.75-8	3/4-10-NUT	3/4 WASHER






FASTREAM® CUTTER BLOCKS

Ream Up To A 12" Hole Without Ever Taking Off The Drill Head.

TE series cutters are designed after our best-selling reamer, the Tornado on pg. 29

FastReam Cutter Blocks are compatible with both Bolt-on AND Thread-on SD Housings



Don't forget your **FastReam Tool Bag** to hold parts, bolts, and cutter blocks. Get it free with a complete **FastBack System** or visit www.melfredborzall.com/fastback-parts



Fastream Cutter Blocks		
Housing Diameter	Cutting Diameter	Part Number
2.5"	4.5"	FR-250-EX-45
2.5"	6"	FR-250-TE-47-60
2.5"	8"	FR-250-TE-47-80
2.5"	10"	FR-250-TE-57-10
2.75"	6"	FR-275-TE-47-60
2.75"	8"	FR-275-TE-47-80
2.75"	10"	FR-275-TE-57-10
2.75"	12"	FR-275-TE-80-12
3.25"	6"	FR-325-EX-35-60
3.25"	8"	FR-325-TE-57-80
3.25"	10"	FR-325-TE-57-10
3.25"	12"	FR-325-TE-80-12



EX series cutters are designed after our cobble bit, the Iron Fist on pg. 22



HOUSINGS

DIRECT
PULLBACK

BITS &
BLADES

DIRECT & QUICK-
DISCONNECTS

REAMERS

SWIVELS

PULLERS

ADAPTERS &
SUB-SAVERS

PARTS &
ACCESSORIES